

Connected greedy colourings of perfect graphs and other classes: the good, the bad and the ugly

Laurent Beaudou¹ Caroline Brosse^{1,2*} Oscar Defrain^{1,3} Florent Foucaud¹
Aurélie Lagoutte^{1,4} Vincent Limouzy¹ Lucas Pastor¹

¹ Université Clermont Auvergne, CNRS, Clermont Auvergne INP, Mines Saint-Étienne, LIMOS, 63000 Clermont-Ferrand, France

² CNRS, Université Côte d'Azur, Inria, I3S, Sophia-Antipolis, France

³ Aix Marseille Université, Université de Toulon, CNRS, LIS, Marseille, France

⁴ Univ. Grenoble Alpes, CNRS, Grenoble INP, G-SCOP, 38000 Grenoble, France

revisions 17th Nov. 2021, 18th Nov. 2022, 14th Nov. 2023; accepted 19th Nov. 2023.

The Grundy number of a graph is the maximum number of colours used by the “First-Fit” greedy colouring algorithm over all vertex orderings. Given a vertex ordering $\sigma : v_1, \dots, v_n$, the “First-Fit” greedy colouring algorithm colours the vertices in the order of σ by assigning to each vertex the smallest colour unused in its neighbourhood. By restricting this procedure to vertex orderings that are connected, we obtain *connected greedy colourings*. For some graphs, all connected greedy colourings use exactly $\chi(G)$ colours; they are called *good graphs*. On the opposite, some graphs do not admit any connected greedy colouring using only $\chi(G)$ colours; they are called *ugly graphs*. We show that no perfect graph is ugly. We also give simple proofs of this fact for subclasses of perfect graphs (block graphs, comparability graphs), and show that no K_4 -minor-free graph is ugly. Moreover, our proofs are constructive, and imply the existence of polynomial-time algorithms to compute good connected orderings for these graph classes.

Keywords: connected greedy colouring, perfect graphs, comparability graphs, K_4 -minor-free graphs, block graphs

1 Introduction

Optimally colouring a graph has been and remains a hard task: Karp [18] lists the CHROMATIC NUMBER problem among his twenty-one NP-hard problems in 1972. Facing hard problems, a common tactic consists in solving them for subclasses of graphs, but even deciding if a planar graph of maximum degree 4 admits a 3-colouring is an NP-complete problem [11, Section 2]. To deal with graph colourings and their applications, heuristics have been designed. Greedy colouring, also called “First-Fit”, is among the first heuristics that come to mind.

*This author is supported by the French Agence Nationale de la Recherche under contract Digraphs ANR-19-CE48-0013-01.

Greedy colouring. A *greedy colouring* of a graph G relative to an ordering $\sigma : v_1, v_2, \dots, v_n$ of its vertices is obtained by colouring the vertices in the order of σ and assigning to each vertex the smallest positive integer that is unused in its neighbourhood. Let $\chi(G)$ denote the chromatic number of the graph G and let $\chi(G, \sigma)$ denote the number of colours used when colouring G greedily with respect to the ordering σ . Since any greedy colouring is proper (no two adjacent vertices have the same colour), we may observe that $\chi(G) \leq \chi(G, \sigma)$ for any ordering σ of vertices of G . Actually the chromatic number is always attained by some ordering (we call such orderings *good*). By noting $\mathcal{S}(G)$ the set of orderings on the vertices of G , we have

$$\chi(G) = \min\{\chi(G, \sigma) : \sigma \in \mathcal{S}(G)\}. \quad (1)$$

To see this, it is enough to consider an optimal colouring of G , thus using colours $\{1, \dots, \chi(G)\}$ and take any ordering σ which ranks vertices with respect to their colours (first all the vertices coloured with 1, then with 2 and so on). Following this order, no vertex receives a colour strictly larger than the one assigned by the optimal colouring.

Grundy number. Although greedy colourings have a chance to perform well, choosing σ with no care could lead to bad choices. The *Grundy number* of a graph G , denoted by $\Gamma(G)$, is a measure of the worst possible choice among greedy colourings. It is the largest number of colours used among all greedy colourings:

$$\Gamma(G) := \max\{\chi(G, \sigma) : \sigma \in \mathcal{S}(G)\}. \quad (2)$$

Greedy colourings have been called Grundy colourings by several authors referring to a note on combinatorial games by Grundy [14] from 1939. Forty years later, Christen and Selkow [6] introduced the Grundy number. They proved that for a graph G , we have $\Gamma(H) = \chi(H)$ for all induced subgraphs H of G if and only if G is a cograph. Note that the Grundy number of a graph may be arbitrarily larger than its chromatic number (for any fixed n , removing a perfect matching from the complete bipartite graph $K_{n,n}$ yields a graph G_n for which $\chi(G_n) = 2$ and $\Gamma(G_n) = n$).

Connected orderings. An ordering $\sigma : v_1, v_2, \dots, v_n$ of the vertices of a (connected) graph G is called a *connected ordering* if for each integer i between 1 and n , the subgraph induced by the vertices v_1, \dots, v_i is connected. Greedy colourings using these connected orderings have been studied about thirty years ago by Hertz and De Werra [15] and by Babel and Tinhofer [1]. Let $\mathcal{S}_c(G)$ be the set of connected orderings of a graph G and define the *connected greedy chromatic number* of a connected graph G , denoted $\chi_c(G)$, as the minimum number of colours used for connected orderings:

$$\chi_c(G) := \min\{\chi(G, \sigma) : \sigma \in \mathcal{S}_c(G)\}.$$

In general, $\chi_c(G)$ is not equal to $\chi(G)$; see [2, Theorem 2]. We similarly define the *connected Grundy number* of a connected graph G , denoted $\Gamma_c(G)$, as the maximum number of colours for connected orderings:

$$\Gamma_c(G) := \max\{\chi(G, \sigma) : \sigma \in \mathcal{S}_c(G)\}.$$

Note that for any connected graph G , we have the following chain of inequalities:

$$\chi(G) \leq \chi_c(G) \leq \Gamma_c(G) \leq \Gamma(G).$$

Benevides, Campos, Dourado, Griffiths, Morris, Sampaio and Silva [2] have recently proven that $\chi_c(G)$ cannot be arbitrarily large with respect to $\chi(G)$. The difference can be at most 1: $\chi_c(G) \leq \chi(G) + 1$, see [2, Theorem 3].

Introducing the good, the bad and the ugly. Following the terminology of Le and Trotignon [19], we call a connected graph G satisfying $\chi(G) = \Gamma_c(G)$ *good*, that is, G is a graph for which any connected ordering is good (gives an optimal colouring).⁽ⁱ⁾ All other connected graphs are called *bad*.⁽ⁱⁱ⁾ A connected graph G for which *no* connected ordering achieves the optimal value $\chi(G)$, i.e. $\chi_c(G) > \chi(G)$, is called *ugly*.⁽ⁱⁱⁱ⁾ For any connected graph, a connected ordering of its vertices that yields an optimal colouring is called a *good connected ordering*.

Known results. It can be observed that all bipartite graphs are good [2]. In [15], Hertz and De Werra showed that all fish-free parity graphs are good. The fish and the gem graphs are bad; see Figure 1. In [19], the authors characterized good claw-free graphs in terms of forbidden induced subgraphs.




Fig. 1: The fish and the gem, two bad graphs discovered in [1] and [15] (bad connected vertex-orderings are v_1, \dots, v_n).

A planar cubic ugly graph was presented in [1]; see Figure 2. A claw-free ugly graph was also found in [19] (in fact it is a line graph of a multigraph), and it can be modified to obtain an ugly line graph, see Figure 3. These examples have triangles, but one can obtain ugly graphs of arbitrarily large girth. Indeed, the building blocks of these examples are gadgets (here, diamonds) in which two specified vertices must receive the same colour in any optimal colouring, and such gadgets of arbitrarily large girth can be obtained by taking colour-edge-critical graphs of large girth and deleting an edge (the two endpoints of that edge now need to receive the same colour in any optimal colouring).




Fig. 2: An ugly planar cubic graph from [1].

Clearly, every ugly graph is bad. It is coNP-hard to recognize ugly graphs [2], even for inputs that are line graphs, or H -free with H not a linear forest, or H containing an induced P_9 [20]. (This implies that

⁽ⁱ⁾ Actually, in [19] a graph G is called good only if $\chi(H) = \Gamma_c(H)$ for every connected induced subgraph H of G . In this paper, we consider only hereditary classes of graphs and we are interested in determining whether all graphs in the class are good or not, so this difference in the definition is irrelevant in our context.

⁽ⁱⁱ⁾ Bad graphs were called *slightly hard-to-colour* in [1].

⁽ⁱⁱⁱ⁾ Ugly graphs were called *globally hard-to-colour* in [1], but we prefer to follow the lines of the less lengthy terms of [19].




Fig. 3: (a) An ugly planar claw-free graph from [19]. (b) An ugly planar line graph.

for any such H , there exist H -free ugly graphs.) On the other hand, it is proved in [20] that for any H that is an induced subgraph of $P_4 + K_1$ or P_5 , there are no H -free ugly graphs.

A graph is *perfect* if for each of its induced subgraphs, the chromatic number equals the clique number (size of the largest clique). Colouring perfect graphs has been studied for decades. For some subclasses of perfect graphs, the classic colouring algorithms actually work greedily on a connected ordering. For example, an ordering σ of the vertices of a graph G is *perfect* if for every induced subgraph H of G , the sub-ordering σ_H of σ induced by $V(H)$ gives $\chi(H, \sigma) = \chi(H)$ [7]. Graphs with such orderings are called *perfectly orderable*; they are perfect and include all chordal graphs and all comparability graphs. An ordering of G is called a *perfect elimination ordering* if for every i with $i < n$, the neighbours of v_i among $\{v_{i+1}, \dots, v_n\}$ form a clique in G . A graph is known to be chordal if and only if it admits a perfect elimination ordering, and such an ordering may be found in linear time $O(m + n)$ (where n is the number of vertices and m is the number of edges) as the reversed order of the LexBFS algorithm [21]. It follows that for a graph G , there exists a perfect elimination ordering σ of $V(G)$ whose reverse σ' is connected (since it corresponds to a BFS order) and gives $\chi_c(G, \sigma') = \chi(G)$, and this is also a perfect ordering. Hence no chordal graph is ugly. An extension of this concept is the one of a *semi-perfect elimination ordering* (see [17] for a definition). It is proved in [17] that every vertex-ordering of $V(G)$ that is the reverse of a LexBFS ordering (and thus, connected) is a semi-perfect elimination ordering if and only if G has no house, no hole and no domino as an induced subgraph. Such graphs are called *HHD-free graphs*; all chordal graphs and distance-hereditary graphs are HHD-free. It was proved in [16] that the reverse of a semi-perfect elimination ordering is a perfect ordering, and thus, no HHD-free graph is ugly. Yet another larger class of perfect graphs (containing HHD-free graphs) with connected orderings is the class of *Meyniel graphs* (graphs where every odd cycle of length at least 5 has at least two chords). In [22], a LexBFS-like $O(n^2)$ algorithm that produces a connected ordering σ of the vertices such that $\chi(G, \sigma) = \chi(G)$ is given.

Recently, connected greedy edge-colourings (equivalently, connected greedy colourings of line graphs) have been studied in [3], and it was proved that there is no line graph of a bipartite graph that is ugly.^(iv) Such graphs are perfect.

^(iv) Moreover, a careful analysis of the proof of [3] gives an algorithm running in time $O(n^4)$ to compute a good connected ordering of any connected line graph of bipartite graph on n vertices.

Our results. In this paper, we continue the hunt for graph classes containing only good connected graphs, and for graph classes containing no ugly graphs. For a graph class of this type, given a graph G of this class, we note that deciding whether $\chi_c(G) = \chi(G)$ is trivially polynomial-time solvable (always say "yes"). Thus our work is related to the algorithmic work from [20].

We first show how to inductively create new good graphs out of good graphs in Section 2, with an application to cactus graphs and block graphs (a *block graph* is a graph in which every biconnected component induces a clique, and a *cactus graph* is a graph in which every biconnected component induces a cycle). Using the inductive structure of K_4 -minor-free graphs in a similar manner, we then show (constructively) in Section 3.1 that no member of this class is ugly. We also show constructively that no comparability graph is ugly in Section 3.2. Finally, our main theorem is to generalize several known results about subclasses of perfect graphs by showing that no perfect graph is ugly (and a good connected ordering of a perfect graph can be computed in polynomial time, using an algorithm for perfect graph colouring as a black box). This is done in Section 3.3.

Definitions and notations. For standard definitions and notations of graph theory that are not recalled in this article, we refer the reader to [8]. A (*proper*) k -colouring of a graph $G = (V, E)$ is a function $c : V \rightarrow \{1, \dots, k\}$ such that $c(u) \neq c(v)$ whenever $uv \in E$. A graph is k -colourable if it admits a proper k -colouring. Its *chromatic number* $\chi(G)$ is the smallest integer k such that G is k -colourable, and we call *optimal* colouring any $\chi(G)$ -colouring. A graph G is k -chromatic if $k = \chi(G)$. A graph is *bipartite* if it is 2-colourable.

Given a graph $G = (V, E)$ and a vertex v , the *neighbourhood* of v is the set $N(v) = \{u \in V \mid uv \in E\}$, and we call *neighbours* of v the elements in such a set. For a set of vertices S , we denote $N(S) = (\cup_{v \in S} N(v)) \setminus S$. A *clique* in G is a set of pairwise adjacent vertices and a k -*clique* is a clique of size k . An *independent set* is a set of pairwise non-adjacent vertices. Given a subset of vertices X , the *subgraph induced by X* , denoted $G[X]$, is the graph $(X, E \cap (X \times X))$ obtained from G by removing the vertices that are not in X . On the other hand $G - X$ is the subgraph $G[V \setminus X]$ induced by $V \setminus X$. When $X = \{v\}$ for some $v \in V$, we may write $G - v$ instead of $G - \{v\}$. A *subgraph* of G is a graph $G' = (V', E')$ such that $V' \subseteq V$ and $E' \subseteq E$. An *orientation* of G is a directed graph obtained from G by transforming each edge $uv \in E$ into either the arc $u \rightarrow v$ or the arc $v \rightarrow u$. An orientation is *acyclic* if it contains no directed cycle.

2 Making good graphs out of good graphs

In this section, we show a natural way of building new good graphs by gluing them through a cut-vertex. A vertex v in a connected graph G is a *cut-vertex* if its removal disconnects G . A *biconnected* graph is a connected graph without any cut-vertex. A *biconnected component* of a graph G is an inclusion-wise maximal set of vertices inducing a biconnected graph.

In order to get the desired result, we will need to strengthen the hypothesis and introduce for that purpose great graphs. A *great graph* is a connected graph G such that for every connected ordering $\sigma : v_1, \dots, v_n$ of its vertices and every positive integer i , we may colour vertex v_1 with colour i , apply the greedy colouring algorithm to v_2, \dots, v_n and only use colours between 1 and $\chi(G)$ among the vertices v_2, \dots, v_n . Of course, a great graph is also good since v_1 may be coloured 1. Notice that complete graphs, bipartite graphs and cycles are great. For great graphs, we can thus find a good connected ordering in linear time using a standard graph traversal algorithm such as Depth-First Search.

Lemma 1. *If all biconnected components of a connected graph G induce a great graph, then G is great.*

Proof: We proceed by induction on the number of biconnected components. Let v be a cut-vertex of G . Let G_1, \dots, G_k be the subgraphs induced by the connected components of $G-v$, together with v , meaning that $G_i = G[V_i \cup \{v\}]$ where V_i is a connected component of $G-v$. Observe that each G_i has strictly less biconnected components than G . Let $\sigma : v_1, \dots, v_n$ be a connected ordering of G and assume without loss of generality that v_1 belongs to G_1 . We consider the sub-orderings $\sigma_1, \dots, \sigma_k$ of σ , where σ_i contains only the vertices of G_i . Note that each ordering σ_i is a connected ordering of G_i , starting with v_1 if $i = 1$, or with v if $i > 1$. Let us call c the greedy colouring relative to σ starting from any colour α on v_1 . Then c will agree on each G_i with the greedy colouring relative to σ_i starting from $c(v)$ on v if $i > 1$, or starting from α on v_1 if $i = 1$. Since each G_i is great by induction hypothesis, this colouring will not use more than $\max\{\chi(G_i) : 1 \leq i \leq k\}$ colours, which is equal to $\chi(G)$. \square

Corollary 2. *Every connected block graph and every connected cactus graph is great.*

3 Classes of graphs with no ugly member

In this section, we exhibit two classes of non-ugly graphs, i.e. classes of graphs admitting good connected orderings: the class of K_4 -minor-free graphs and the class of perfect graphs. We also give a simple and constructive proof for comparability graphs (which are perfect). Note that there exist bad graphs in these graph classes, consider for example the fish graph, which is K_4 -minor-free and comparability; see Figure 1.

3.1 K_4 -minor-free graphs

A graph H is a *minor* of G if H can be obtained from G by a series of vertex deletions, edge deletions, edge contractions (replacing two adjacent vertices u, v by a single vertex adjacent to all neighbours of u and v). A graph G is *K_4 -minor-free* if K_4 is not a minor of G .

The class of K_4 -minor-free graphs has been extensively studied in different contexts and inherited many different names such as Series-Parallel graphs, partial 2-trees, or graphs with treewidth at most 2 [5]. We shall observe a simple fact about those graphs that will help us in the search of a good ordering. For this we need to define the notion of 2-tree. A *2-tree* is any graph obtained from K_3 and then repeatedly adding vertices in such a way that each added vertex has exactly two neighbours which are adjacent to each other. A graph G is K_4 -minor-free if and only if it is a *partial 2-tree*, that is, a subgraph of a 2-tree [5]. Such graphs are easily seen to be 3-colourable [10].

Lemma 3. *Any K_4 -minor-free graph G on at least two vertices has two vertices of degree at most 2.*

Proof: Let G be a K_4 -minor-free graph. Let \hat{G} be a 2-tree having G as a subgraph. Since \hat{G} is chordal and has more than two vertices, it is known to have two simplicial vertices [9]. Since the maximum clique has order at most 3 in \hat{G} , these two simplicial vertices have degree at most 2 in \hat{G} . Therefore, they have degree at most 2 in G . \square

Lemma 4. *Any connected K_4 -minor-free graph G on at least two vertices has a vertex of degree at most 2 whose removal leaves G connected.*

Proof: If there is a vertex of degree 1, then its removal definitely leaves G connected. So, we may assume that the minimum degree of G is 2.

For a contradiction, suppose that every vertex of degree 2 disconnects the graph. For each such vertex, let us look at the number of vertices in the smallest connected component of G after its removal: let u be a vertex of degree 2 minimizing this quantity. Vertex u has two neighbours x and y . Without loss of generality, we may assume that in $G - u$, the component containing x is the smallest. Let us call the graph induced by this component G_x . Graph G_x has at least two vertices (or x has degree 1 in G). By Lemma 3, G_x has two vertices of degree at most 2, one of which is distinct from x . Let it be z . Observe that z has same degree in G_x and in G . So z has degree 2 in G and by our assumption, it must disconnect G . One of the connected components after removal of z from G has fewer vertices than G_x , which is a contradiction to the choice of u . \square

Theorem 5. *No K_4 -minor-free graph is ugly, and a good connected ordering of any connected K_4 -minor-free graph on n vertices can be computed in time $O(n^2)$.*

Proof: We prove the first part of the statement by induction on the number of vertices of G .

If G has two vertices or less, then it is trivial. Let us consider a connected K_4 -minor-free graph G on n vertices, $n \geq 3$. If G is bipartite, then it is good and hence any connected ordering gives a 2-colouring. Let us thus assume that G is not bipartite. Since G is 3-colourable [10], it implies that G has chromatic number 3. By Lemma 4, there is a vertex u of degree at most 2 whose removal gives a connected graph on $n - 1$ vertices. By the induction hypothesis, there is a connected ordering of $G - u$ which yields an optimal colouring of $G - u$. By adding u at the end of this ordering, we obtain an optimal colouring of G (since u has at most two neighbours, it receives a colour among 1, 2 and 3).

To obtain a good connected ordering in polynomial time, if G is bipartite, one can use any connected ordering (this can be done in linear time using a standard graph traversal algorithm). Otherwise, it suffices to iteratively find a vertex of degree at most 2 whose removal gives a connected graph, and reverse the obtained ordering. This process can be done in $O(n^2)$ time. \square

3.2 Comparability graphs

This section is devoted to proving that the class of comparability graphs is not ugly. A graph $G = (V, E)$ is a *comparability graph* if there exists an acyclic orientation of G that is transitive. An orientation is called *transitive* if it contains the arc $a \rightarrow c$ whenever it contains the arcs $a \rightarrow b$ and $b \rightarrow c$. The class of comparability graphs forms a strict subclass of perfect graphs [12].

A comparability graph, together with a transitive orientation, naturally encodes the relations of a partially ordered set (*poset* for short). A *poset* $P = (V, \prec)$ is a binary relation \prec defined on a ground set V that is reflexive ($\forall x \in V, x \prec x$), anti-symmetric ($\forall x, y \in V \times V, (x \prec y) \text{ and } (y \prec x) \Rightarrow x = y$) and transitive ($x \prec y \text{ and } y \prec z \Rightarrow x \prec z$). It is called a *total order* if $\forall x, y \in V \times V$ we have either $x \prec y$ or $y \prec x$. A comparability graph and one of its transitive orientations are presented in Figure 4. An element $x \in V$ is called *maximal* (resp. *minimal*) if there exists no element $y \in V \setminus \{x\}$ such that $x \prec y$ (resp. $y \prec x$). A *chain* in a poset is a set of elements that induces a total order. Let us remark that a chain corresponds to a complete graph in the associated comparability graph.

We call a subgraph H of a graph G *dominating* if any vertex of $V(G) \setminus V(H)$ has at least one neighbour in $V(H)$. Moreover, if H is connected, then it is called a *connected dominating subgraph* of G . To prove the theorem of this section, we will use the following lemma, which is a special case of [20, Proposition 2].



Fig. 4: A comparability graph (left), and a transitive orientation where minimal elements are represented by white disks and maximal elements by white squares (right).

Lemma 6 ([20]). *Let G be a graph with an optimal colouring c of G such that there exists a connected dominating subgraph H and a connected ordering σ_H of $V(H)$ such that the greedy colouring of H relative to σ_H agrees with c on $V(H)$. Then, G is not ugly.*

An optimal greedy colouring algorithm for colouring comparability graphs is known, see [12, Chapter 5.7]. This yields an ordering σ of the vertices with $\chi(G, \sigma) = \chi(G)$; however σ may not be connected. Here we present a connected variant.

Theorem 7. *No comparability graph is ugly, and a good connected ordering of any connected comparability graph on n vertices and m edges can be computed in time $O(mn)$.*

Proof: It is known [12, Chapter 5.7] that given a comparability graph G on n vertices and m edges, we can compute in time $O(mn)$ a partial order P on the vertices of G whose transitive closure yields G , as well as a height function h on P defined by $h(v) = 1$ if v is minimal in P , and $h(v) = 1 + \max\{h(w) : w \prec v\}$ otherwise. This can be done by computing a transitive orientation of G and conducting a Depth-First Search. Furthermore, such a function yields an optimal proper colouring of G . In the following, by *height* of P we mean $\max_{v \in V(G)} h(v)$.

Let G be a connected comparability graph and P be one of its associated partial orders. Clearly the statement holds if the height of P equals 2, as G is bipartite in that case. Let us assume that P is of height $k \geq 3$ and consider the poset P' obtained from P by removing all maximal elements of P , as well as the graph G' associated to P' (note that it may not be connected). Since h restricted to P' defines a height function of P' , it yields a $(k - 1)$ -colouring of G' . We extend it to a colouring of P as follows. First, we colour all maximal elements of P with colour k , and then, we swap the colour classes 2 and k . Thus, we have obtained an optimal colouring of G where all maximal elements of P are coloured 2 and all minimal elements are coloured 1. This colouring process is depicted in Figure 5.

Now, observe that the subgraph H induced by the colour classes 1 and 2 is bipartite and forms a dominating subgraph of G , since every element of P that is neither maximal nor minimal is comparable with some maximal and some minimal element.

We furthermore show that H is connected. Let us assume that this is not the case and let A, B be two distinct connected components of H . Since G is connected, there exists some path in G connecting a vertex in A to a vertex in B . Among all such possible paths between A and B , let Q be one with smallest length and call $a \in A$ and $b \in B$ its extremities. Clearly we are done if Q is an edge. Otherwise, let x be the neighbour of a in Q and b' be its successor (with possibly $b = b'$). Two symmetric cases arise depending on whether $a \prec x$ or $x \prec a$. Let us assume without loss of generality that $a \prec x$, hence that a




Fig. 5: The situation of Theorem 7; (i) a colouring obtained with the method of Golubic (ii) the same colouring restricted to non-maximal elements (iii) the colouring obtained by swapping colours 2 and k .

is minimal in P . Since Q is a shortest path, a and b' are non-adjacent, thus incomparable and hence $a \prec x$ and $b' \prec x$. Let x' be a maximal element of P such that $x \prec x'$. Since $x' \succ a$ we have that x' belongs to A and as $x' \succ b'$ it is connected to b' . But then taking $x'b \in E(G)$ and then following the rest of Q from b' to b is a shorter path to reach b from A , compared to Q that starts with ax then xb' . We have exhibited a path shorter than Q connecting A to B , a contradiction to the choice of Q .

Now, since H is connected and bipartite, for any connected vertex-ordering of H that starts with a minimal element of P , the greedy algorithm produces a colouring that agrees with c on H . Hence, we can apply Lemma 6 to G , c and H , which shows that G is indeed not ugly. As a connected vertex-ordering of H can be obtained in linear time using a standard graph traversal algorithm, and a colouring of G' may be computed in $O(mn)$ time [12, Chapter 5.7], we conclude to the desired time bound of $O(mn)$ for the computation of a good connected ordering of G . \square

3.3 Perfect graphs

We now prove our main result, that there are no ugly perfect graphs. This generalizes the same fact which was previously proved for Meyniel graphs [22] (a class which contains chordal graphs, HHD-free graphs, Gallai graphs, parity graphs, distance-hereditary graphs...) and line graphs of bipartite graphs [3]. Our proof is a generalization of the proof of the latter result by Bonamy, Groenland, Muller, Narboni, Pekárek and Wesolek [3, Theorem 2], and our presentation is based on theirs.

Theorem 8. *No perfect graph is ugly.*

Proof: We will consider only connected perfect graphs, and show that there exists a good connected ordering of their vertices. The proof will use induction on the chromatic number of the graphs. As usual for inductive proofs, we shall adapt the induction hypothesis: we want it as weak as possible to ease its proof, and at the same time as strong as possible since it is our basic hypothesis. We shall prove the following statement, which implies the theorem.

For any positive integer k , any connected k -chromatic perfect graph G and any initial vertex v of G , there is a connected ordering starting with v that produces a greedy colouring with k colours.

If $k = 1$, then the graph is just a single vertex and the statement is true. We now suppose that $k \geq 2$ and that the induction hypothesis is true for all k' strictly smaller than k .

Let G be a connected k -chromatic perfect graph with some initial vertex v , and $\varphi : V(G) \rightarrow \{1, \dots, k\}$ be a proper k -colouring of the vertices of G such that v does not get colour k (this is possible since $k \geq 2$). For any vertex u , we say that v *reaches* u if there is a path $v = s_0, \dots, s_p = u$ such that for every $1 \leq i \leq p$, if $\varphi(s_i) = k$, then the edge $s_{i-1}s_i$ is part of a k -clique. We first prove the following.

Claim A. G has a k -colouring such that v reaches all other vertices of G .

Proof of claim. Consider a colouring φ maximizing the number of vertices reached from v . Let A be the set of vertices reached from v (including v) and B the remaining vertices. If B is empty, we are done. If not, we build a better colouring. In this case, observe that any edge xy from A to B must be such that $\varphi(y) = k$ and the edge xy does not belong to any k -clique.

Let u be some vertex in B such that u has a neighbour in A . The graph $G[B]$ induced by B is perfect (since G is perfect). Pick any optimal colouring ρ of $G[B]$ such that u does not receive colour k and let S_B be the independent set of vertices of B getting colour k by ρ . Let S_A be the independent set of vertices in A getting colour k by φ . Note that there is no edge between S_A and B , so $S_A \cup S_B$ is an independent set: indeed recall that every edge xy with $x \in A$ and $y \in B$ is such that y is coloured k by φ , but the vertices in S_A are also coloured k by φ . Thus, x being in S_A would contradict the fact that φ is a proper colouring of G .

Since no edge between A and B is part of a k -clique, each k -clique of G is included either in A or in B and thus intersects the set $S_A \cup S_B$. Hence, $G - (S_A \cup S_B)$ has clique number at most $k - 1$ and by the perfectness of G , there is a $(k - 1)$ -colouring γ of $G - (S_A \cup S_B)$. Since $S_A \cup S_B$ is an independent set, we can extend γ to the whole graph by assigning colour k to all vertices in $S_A \cup S_B$. We have that:

- all vertices in A remain reachable in γ , as we can consider the same path as for φ in A , since colour class k is the same in φ and γ ;
- the vertex u is now reachable, as it has a neighbour in A and is not coloured k by γ .

Thus, we have strictly increased the number of reachable vertices, which contradicts the choice of φ . Therefore, there exists φ such that v reaches the whole graph, and the proof of the claim is complete. \square

Let φ be a k -colouring of G such that v reaches all other vertices of G (obtained from Claim A) and let S be the set of vertices coloured k by φ . The graph $G - S$ can be decomposed into connected components C_1, \dots, C_ℓ . Let C_1 be the component containing v . By connectivity of G , and after a possible renumbering of C_2, \dots, C_ℓ , we may find for each index i between 1 and $\ell - 1$

$$\text{two vertices } u_i \text{ in } C_1 \cup \dots \cup C_i \text{ and } s_i \text{ in } S \cap N(C_{i+1})$$

such that v reaches s_i through u_i (thus, the edge $u_i s_i$ is part of a k -clique).

Now we can use the induction hypothesis to greedily colour the whole graph G in a connected fashion. Since C_1 induces a perfect connected graph of chromatic number at most $k - 1$, by induction, there is a good connected ordering of C_1 starting from v . This means that u_1 is coloured. Since $u_1 s_1$ is in a k -clique, the other members of this clique (except s_1) are in C_1 . Thus, they use all colours among $1, \dots, k - 1$. The greedy colouring continuing with s_1 will then assign colour k to it. Now, s_1 has a neighbour in C_2 . By induction, there is a connected greedy $(k - 1)$ -colouring of $G[C_2]$ starting with colour 1 from any vertex, so we can colour $G[C_2]$. We iterate the process through all connected components. At last, we colour the uncoloured vertices of S . This process yields a connected greedy k -colouring of G . \square

Note that the proof of Theorem 8 is constructive; it directly yields an algorithm for finding a good connected ordering of any input connected perfect graph G with n vertices. But in order to be able to find a good connected ordering of G , we must be able to compute a k -colouring of G such that v reaches all other vertices of G (Claim A in the proof of Theorem 8). This can be done by computing an optimal colouring of G (since G is perfect, a colouring of G using $\omega(G)$ colours can be found in polynomial time $O(n^c)$ for some $c \in \mathbb{N}$ using the ellipsoid method [13]), and repeatedly applying the argument of the proof of Claim A to extend the set of vertices that can be reached from v . This is formalized by Algorithm 1. The size of the maximum clique of Line 7 is computed in $O(n^c)$ time using the algorithm in [13], bringing the total time complexity of Algorithm 1 to $O(n^{c+2})$.

Algorithm 1: Given a perfect graph G on n vertices, an optimal colouring of G and a vertex v , compute the set of vertices that are reached from v .

Input: A perfect graph $G = (V, E)$, an optimal k -colouring of the vertices of G where $k = \omega(G)$ and a vertex v of G .

Output: The set of vertices reachable from v .

/ Construct the directed graph D of direct reachability from v . */*

```

1 Let  $D$  be a directed graph with  $V(D) = V(G)$  and no arc.
2 for each edge  $uw \in E(G)$ 
3   if neither  $u$  nor  $w$  is coloured  $k$  then Add both  $u \rightarrow w$  and  $w \rightarrow u$ .
4   else
5     Without loss of generality, let  $u$  be the vertex coloured  $k$ .
6     Add the arc  $u \rightarrow w$  to  $D$ .
7     Let  $q = \omega(G[N(u) \cap N(w)])$ .
8     if  $q = k - 2$  then Add the arc  $w \rightarrow u$  to  $D$ .
9 Let  $A$  be the set of vertices visited during a traversal of  $D$  starting from  $v$ .
10 return  $A$ 

```

Then, Algorithm 1 is used as a sub-routine in Algorithm 2 to compute an optimal connected colouring of G , leading to the next corollary.

Corollary 9. *A good connected ordering of any connected perfect graph on n vertices can be computed in time $O(n^{c+4})$ provided that an optimal colouring of a perfect graph can be obtained in $O(n^c)$ time.*

Note that the time bound of the above corollary relies to date on the complexity of the polynomial-time algorithm from [13], whose precise exponent has not been made explicit by the authors and which is most probably large. This is in contrast to the algorithm for comparability graphs given by Theorem 7 which runs in $O(mn)$ time. Concerning other subclasses of interest, as mentioned in the introduction, the same task can be done in time $O(m + n)$ for chordal graphs using the LexBFS algorithm [21], for Meyniel graphs this can be done in time $O(n^2)$ using a variant of LexBFS [22], and a careful inspection of the proof in [3] gives an $O(n^4)$ algorithm for line graphs of bipartite graphs.

Acknowledgements. This research was partially financed by the French government IDEX-ISITE initiative 16-IDEX-0001 (CAP 20-25) and by the ANR project GRALMECO (ANR-21-CE48-0004). We are thankful to all participants of the 2018 AICoLoCo problem seminars and the 2018 Recolles workshop,

Algorithm 2: Compute an optimal connected colouring of a given perfect graph.

Input: A perfect graph $G = (V, E)$.

Output: A good connected ordering of the vertices of G .

```

1 Let  $\varphi : V \rightarrow \mathbb{N}$  be an optimal  $k$ -colouring of  $G$  where  $k = \omega(G)$ .
  /* Computed with a complexity of  $|V|^c$  for some constant  $c \in \mathbb{N}$ . */
2 Let  $v$  be a vertex of  $V$  such that  $\varphi(v) \neq k$  and  $A$  be the set of vertices reached from  $v$ .
  /* Computed with Algorithm 1 as a subroutine. */
3 while there exists some vertex not in  $A$ 
4   Let  $u$  be a vertex not in  $A$  with a neighbour in  $A$  and  $B = V \setminus A$ .
5   Compute an optimal colouring  $\rho$  of  $G[B]$  with at most  $k$  colours.
6   Let  $S_A$  (resp.  $S_B$ ) be the independent set of vertices in  $A$  (resp.  $B$ ) coloured  $k$  by  $\varphi$  (resp.
   coloured  $k$  by  $\rho$ ).
7   Let  $G' = G[V \setminus (S_A \cup S_B)]$  and compute an optimal colouring  $\gamma$  of  $G'$  with at most  $k - 1$ 
   colours.
8   Extend  $\gamma$  by assigning colour  $k$  to the vertices in  $S_A \cup S_B$ .
9    $\varphi \leftarrow \gamma$ 
10  Recompute the set  $A$  of vertices reached by  $v$  in  $\varphi$ .
  /* From now on,  $v$  reaches all the vertices of  $G$ . */
11 Let  $S$  be the set of vertices coloured  $k$  by  $\varphi$  in  $G$ .
12 Let  $C_1, \dots, C_\ell$  be the connected components of  $G[V \setminus S]$ .
  /* Computed in  $O(|E|)$ . */
13  $v_1 \leftarrow v$ 
14 for  $i$  in  $\{1, \dots, \ell\}$ 
15   /* Recursive call : */
16   Compute a good connected ordering of  $G[C_i]$  starting in  $v_i$ , using  $k - 1$  colours; add it to the
   final connected ordering  $\sigma$  to be outputted.
17   if  $i \neq \ell$  then
18     Let  $u_i$  in  $C_1 \cup \dots \cup C_i$  and  $s_i$  in  $S \cap N(C_{i+1})$  be two vertices such that  $v$  reaches  $s_i$ 
     through  $u_i$ .
19     Assign colour  $k$  to  $s_i$  and add it to  $\sigma$ .
     Let  $v_{i+1}$  be a neighbour of  $s_i$  in  $C_{i+1}$ .
20 Add the uncoloured vertices of  $S$  to the ordering  $\sigma$ 
21 return the good connected ordering  $\sigma$  of  $G$  using  $k$  colours.

```

where this research was started. In particular, we thank Giacomo Kahn and Armen Petrossian for preliminary discussions on the topic of this paper. We also thank the referees for their comments that helped improve the quality of the paper.

References

- [1] L. Babel and G. Tinhofer. Hard-to-colour graphs for connected sequential colourings. *Discrete Applied Mathematics* 51(1-2):3–25, 1994.
- [2] F. Benevides, V. Campos, M. Dourado, S. Griffiths, R. Morris, L. Sampaio and A. Silva. Connected greedy colourings. Proceedings of the 11th Latin American Symposium on Theoretical Informatics, LATIN 2014. *Lecture Notes in Computer Science* 8392:433–441, Springer, 2014.
- [3] M. Bonamy, C. Groenland, C. Muller, J. Narboni, J. Pekárek and A. Wesolek. A note on connected greedy edge colouring. *Discrete Applied Mathematics* 304:129–136, 2021.
- [4] É. Bonnet, F. Foucaud, E. J. Kim and F. Sikora. Complexity of Grundy colouring and its variants. *Discrete Applied Mathematics* 243:99–114, 2018.
- [5] H. L. Bodlaender. A partial k -arboretum of graphs with bounded treewidth. *Theoretical Computer Science* 209:1–45, 1998.
- [6] C. A. Christen and S. M. Selkow. Some perfect colouring properties of graphs. *Journal of Combinatorial Theory, Series B* 27(1):49–59, 1979.
- [7] V. Chvátal. Perfectly orderable graphs. In C. Berge and V. Chvátal, editors: *Topics in Perfect Graphs*, *Annals of Discrete Mathematics* 21:63–68, 1984.
- [8] R. Diestel. Graph Theory, *Graduate Texts in Mathematics*, Springer, 2005.
- [9] G. A. Dirac. On rigid circuit graphs. *Abhandlungen aus dem Mathematischen Seminar der Universität Hamburg* 25:71–76, 1961.
- [10] R. J. Duffin. Topology of series parallel networks. *Journal of Mathematical Analysis and Applications* 10:303–318, 1965.
- [11] M. R. Garey, D. S. Johnson and L. Stockmeyer. Some simplified NP-complete graph problems. *Theoretical Computer Science* 1(3):237–267, 1976.
- [12] M. C. Golumbic. *Algorithmic Graph Theory and Perfect Graphs*, Academic Press, 1980.
- [13] M. Grötschel, L. Lovász and A. Schrijver. Polynomial algorithms for perfect graphs. *Annals of Discrete Mathematics*, 21:325–356, 1984.
- [14] P. M. Grundy. Mathematics and Games. *Eureka (The Archimedean's Journal)* 2:6–8, 1939.
- [15] A. Hertz and D. de Werra. Connected sequential colourings. *Annals of Discrete Mathematics* 39:51–59, 1989.

- [16] C. T. Hoàng and B. A. Reed. Some classes of perfectly orderable graphs. *Journal of Graph Theory* 13(4):445–463, 1989.
- [17] B. Jamison and S. Olariu. On the semi-perfect elimination. *Advances in Applied Mathematics* 9:364–376, 1988.
- [18] R. M. Karp. Reducibility among combinatorial problems. In R.E. Miller, J.W. Thatcher and J.D. Bohlinger editors: *Complexity of Computer Computations*, 85–103, 1972.
- [19] N.-K. Le and N. Trotignon. Connected greedy colouring in claw-free graphs. Manuscript, 2018. arXiv:1805.01953
- [20] E. Mota, A. Silva and L. Sampaio Rocha. Connected greedy colouring H -free graphs. *Discrete Applied Mathematics* 284:572–584, 2020.
- [21] D. Rose, G. Lueker and R. E. Tarjan. Algorithmic aspects of vertex elimination on graphs. *SIAM Journal on Computing* 5(2):266–283, 1976.
- [22] F. Roussel and I. Rusu. An $O(n^2)$ algorithm to colour Meyniel graphs. *Discrete Mathematics* 235:107–123, 2001.