Configurer Visual pour fonctionner avec la librairie TBB

1. Définir la variable d'environnement TBB22_INSTALL_DIR

Click droit sur poste de travail -> propriétés, onglet Avancé, variables d'environnement : Ajouter TBB22_INSTALL_DIR avec son emplacement :

variable	Valeur				
GS_PROG	C:\Program Files\gs\gs8.60\bin\gswin32				
TEMP TMP	C:\Documents and Settings\Helene\Loc C:\Documents and Settings\Helene\Loc				
ariables systèm					
Variable	Valeur				
RoxioCentral TBB22_INSTALI TEMP	C:\Program Eiles\Fichiers communs\Roxi. DIR C:\Program Files\tbb C:\WINDOWS\TEMP C:\WINDOWS\TEMP				

- 2. Ajouter les chemins vers la librairie (include, .lib et .dll) dans les propriétés du projet (ATTENTION a la faire pour la config release ET DEBUG)
 - Dans C/C++/General :

educe Property Pages		? 🛛			
Configuration: Active(Release)	Platform: Active(Win32)	Configuration Manager			
Common Properties Framework and References Configuration Properties General Debugging C/C++ General Optimization Preprocessor Code Generation Language Precompiled Headers Output Files Browse Information Manifest Tool XML Document Generator Browse Information Build Events	Additional Include Directories Resolve ≢using References Debug Information Format Suppress Startup Banner Warning Level Detect 64-bit Portability Issues Treat Warnings As Errors Use UNICODE Response Files	\$(TBB22_INSTALL_DIR)\include Program Database (/Zi) Yes (/nologo) Level 1 (/W1) No No Yes			
⊞ Custom Build Step	Additional Include Directories Specifies one or more directories to add to the include path; use semi-colon delimited list if more than one. (/I[path])				
]		OK Annuler Appliquer			

- Dans Linker/General :



- Dans Linker/Input :

Configuration:	Active(Release)	Platform	; Active(Win32)				¥ (Configuration Manager
Opt Pre Coc Cor Out Pre Out Browse Wanifes XML Do Browse Build Ev Cor	imization processor de Generation guage compiled Headers compiled Headers compiled Headers compiled Headers compiled Headers wave Information vanced mmand Line theral ut infest File bugging tem imization bedded IDL vanced mmand Line st Tool cument Generator Information vents Build Step	Additional D Ignore All D Ignore Spec Module Defi Add Module Embed Man Force Symb Delay Loade Assembly Li	ependencies efault Libraries ific Library nition File to Assembly aged Resource File ol References ad DLLS nk Resource	o the link	tbb.lib No	sl32.lib); configu	ration	specific.

nfiguration:	Active(Release)		Platform:	Active(Win32)		Cor	ifiguration Manager	
→ Ma Dei Sy: Op Em Ad Co Co Ge Manife Ge Co Co Browse Ge Co Co Browse	nifest File bugging stem timization bedded IDL vanced mmand Line st Tool neral put and Output vat and Output vanced mmand Line porument Generator neral mmand Line e Information neral mmand Line vents		Command Line Description Excluded From	Build Command L copy "\$(TBB2 copy "\$(TBB2	copy "\$(TBB2 Copying DLLs No ine 2_INSTALL_DIR)\ia32\vc 22_INSTALL_DIR)\ia32\vc	2_INSTALL_DIR)\i and PDBs 9\bin\tbb.dll" "\$(OutD c9\bin\tbb.pdb" "\$(Out	a32\vc9\bin\tbb.dll"	
Pre Pre Po:	s-build Event st-Build Event n Build Step	*	Command Line Specifies a comma	and			ОК	Macros>>

Dans Build Events / Post Build Event (pour qu'il trouve les dll à l'exécution) :

-

-

pour la configuration debug, ajouter aussi dans C/C++/Preprocessor :

sub_string_finder_extended Pr	operty Pages		? 🗙
Configuration: Debug	Platform: Active(Win32)	*	Configuration Manager
Common Properties Configuration Properties General Debugging C/C++ General Optimization Preprocessor Code Generation Language Precompiled Headers Output Files Browse Information Advanced Command Line Linker Manifest Tool Manifest Information Build Events Custom Build Step Custom Build Step	Preprocessor Definitions Ignore Standard Include Path Generate Preprocessed File Keep Comments	WIN32;_DEBUG;_CONSOLE; No No No	TBB_USE_DEBUG
	Preprocessor Definitions Specifies one or more preprocessor de	fines. (/D[macro])	
		ок (Annuler Appliquer